



NEW ENGLAND WOODCRAFT

I N C O R P O R A T E D

CUSTOM CONTRACT FURNITURE

481 North Street, P.O. Box 165








Forest Dale, Vermont 05745







Phone:(802)-247-8211 Fax:(802)-247-8042







www.newwoodcraft.com







sales@newwoodcraft.com








Product Catalog for Contract #FA5641-17-D-0002








CLIN	SOW Section	PHOTO	ITEM DESCRIPTION
1A	9.1.1		NIGHTSTAND (1 Drawer)
1B	9.1.2		NIGHTSTAND (3 Drawers)
2A	9.2.1		DESK 24" (1 Drawer)
2B	9.2.2		DESK 30" (1 Drawer)
3A	9.3.1		DESK CHAIR WITHOUT ARMRESTS (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)
3B	9.3.2		DESK CHAIR WITHOUT ARMRESTS (see attached Bits and Pieces Collection Fabric Card)
3C	9.3.3		DESK CHAIR WITHOUT ARMRESTS (Without upholstery)

3D	9.3.4		DESK CHAIR WITH ARMRESTS (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)
3E	9.3.5		DESK CHAIR WITH ARMRESTS (see attached Bits and Pieces Collection Fabric Card)
3F	9.3.6		DESK CHAIR WITH ARMRESTS (Without upholstery)
4A	9.4.1		DESK CHAIR TWO POSITIONS W/O ARMRESTS (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)
4B	9.4.2		DESK CHAIR TWO POSITIONS W/O ARMRESTS (see attached Bits and Pieces Collection Fabric Card)
4C	9.4.3		DESK CHAIR TWO POSITIONS W/O ARMRESTS (Without upholstery)

5A	9.5.1		DESK CHAIR ROTARY (OFFICE TYPE) WITH ARMRESTS (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)
5B	9.5.2		DESK CHAIR ROTARY (OFFICE TYPE) WITH ARMRESTS (see attached Bits and Pieces Collection Fabric Card)
5C	9.5.3		DESK CHAIR ROTARY (OFFICE TYPE) WITH ARMRESTS (mesh upholstery)
6A	9.6.1		TABLE ACTIVITY WOOD SQUARE
6B	9.6.2		TABLE ACTIVITY WOOD HIGH ROUND
7A	9.7.1		WARDROBE UNIT







7B	9.7.2		WARDROBE UNIT LARGE
8A	9.8		MIRROR FOR WARDROBE UNIT DOOR INSIDE
9A	9.9.1		WALL MIRROR WOOD FRAME 1 INCH
9B	9.9.2		WALL MIRROR WOOD FRAME 2 INCH
9C	9.9.3		WALL MIRROR LARGE WOOD FRAME 2 INCH
10A	9.10.1		BED METAL FRAME DORM SINGLE-XL








10B	9.10.2		BED METAL FRAME SINGLE-REGULAR
10C	9.10.3		BED METAL FRAME DOUBLE
10D	9.10.4		BED METAL FRAME QUEEN
11A	9.11.1		HEADBOARD DORM SINGLE
11B	9.11.2		HEADBOARD DOUBLE
11C	9.11.3		HEADBOARD QUEEN
12A	9.12		UNDER-BED STORAGE UNIT WITH DRAWERS






13A	9.13.1		STORAGE HEADBOARD BOX SMALL
13B	9.13.2		STORAGE HEADBOARD BOX MEDIUM
13C	9.13.3		STORAGE HEADBOARD BOX LARGE
14A	9.14.1		TV UNIT BASIC
14B	9.14.2		TV UNIT ADD ON
15A	9.15.1		RECLINER (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
15B	9.15.2		RECLINER (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm

15C	9.15.3		RECLINER XL (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
15D	9.15.4		RECLINER XL (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
15E	9.15.5		RECLINER XL PLUS (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
15F	9.15.6		RECLINER XL PLUS (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
16A	9.16.1		EASY SEAT UPHOLSTERED WITH OTTOMAN (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
16B	9.16.2		EASY SEAT UPHOLSTERED WITH OTTOMAN (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm

17A	9.17.1		LOUNGE SEAT UPHOLSTERED WOOD SIDES 1 SEAT (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
17B	9.17.2		LOUNGE SEAT UPHOLSTERED WOOD SIDES 1 SEAT (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
18A	9.18.1		LOUNGE COUCH UPHOLSTERED WOOD SIDES 2SEAT (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
18B	9.18.2		LOUNGE COUCH UPHOLSTERED WOOD SIDES 2SEAT (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
19A	9.19.1		LOUNGE COUCH UPHOLSTERED WOOD SIDES 3SEAT (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
19B	9.19.2		LOUNGE COUCH UPHOLSTERED WOOD SIDES 3SEAT (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
20A	9.20.1		LOUNGE EASY SEAT UPHOLSTERED (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm

20B	9.20.2		LOUNGE EASY SEAT UPHOLSTERED (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
21A	9.21.1		LOUNGE SOFA TWO SEATS UPHOLSTERED (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
21B	9.21.2		LOUNGE SOFA TWO SEATS UPHOLSTERED (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
22A	9.22.1		LOUNGE SOFA THREE SEATS UPHOLSTERED (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards) Available Foam Density: Soft/Medium/Firm
22B	9.22.2		LOUNGE SOFA THREE SEATS UPHOLSTERED (see attached Bits and Pieces Collection Fabric Card) Crypton Finish Available Foam Density: Soft/Medium/Firm
23A	9.23		OCCASIONAL TABLE

24A	9.24.1		CHEST OF DRAWERS (3 DRAWERS)
24B	9.24.2		CHEST OF DRAWERS (4 DRAWERS)
24C	9.24.3		CHEST OF DRAWERS (5 DRAWERS)
25A	9.25.1		TABLE COFFEE-LARGE
25B	9.25.2		TABLE COFFEE-SMALL
26A	9.26.1		TABLE DINING
26B	9.26.2		TABLE DINING (large)

27A	9.27		TABLE DINING EXTENDABLE LEAVES
28A	9.28.1		CHAIR DINING (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)
28B	9.28.2		CHAIR DINING (see attached Bits and Pieces Collection Fabric Card)
28C	9.28.3		CHAIR DINING (Without upholstery)
29A	9.29.1	 Arms will be provided	CHAIR DINING WITH ARMS (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)




CHAIR DINING WITH ARMS
(see attached Bits and Pieces Collection Fabric Card)

29B

9.29.2


Arms will be provided



BAR STOOL
(see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)

30A


9.30.1



BAR STOOL
(see attached Bits and Pieces Collection Fabric Card)

30B


9.30.2



BAR STOOL HIGH
(see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)

30C





9.30.3



BAR STOOL HIGH
(see attached Bits and Pieces Collection Fabric Card)

30D

9.30.4


31A	9.31.1		BAR STOOL WITH BACK REST (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)
31B	9.31.2		BAR STOOL WITH BACK REST (see attached Bits and Pieces Collection Fabric Card)
31C	9.31.3		BAR STOOL HIGH WITH BACK REST (see attached Culp, Inc. Dillon and Culp, Inc. Gunslinger Fabric Cards)
31D	9.31.4		BAR STOOL HIGH WITH BACK REST (see attached Bits and Pieces Collection Fabric Card)



Cherry Light



Cherry Medium




Cherry Dark



Birch Light



Birch Medium




Birch Dark



Oak Light



Oak Medium




Oak Dark

Bits & Pieces Collection 5*

UPHOLSTERY FABRIC




Avenue® SUNRISE



GOLD MINE




SAG HARBOR



JETTY




CRANBERRY




HINT OF MINT



VALLEY GREEN



POLO BLUE



PLUM ROYALE



Veer® FRUIT LOOP



WOODSTOCK



CAMMO



GRAPEVINE




MUSTANG



LAKESWOOD




BLUE BAYOU



Whirligig® SAGE




AMBER



TAHOE BLUE



REDWOOD



DURANGO



BLUE



NOCTURNE

* Covered by a 5 year limited performance warranty.

Bits & Pieces COLLECTION

5* Patterns are covered by a 5 year limited performance warranty. Contact your sales representative for written warranty terms and conditions.


TECHNICAL INFORMATION

A



Pattern/Direction (All patterns are suitable for railroading)	Fiber	Repeat	Backing & Finish	Weight (p/yard)	Cleaning Code	Abrasion ASTM 4157 (Double Rubs)	Lightfastness AATCC 16E	Colorfastness AATCC 8	Seam Slippage ASTM-D-4034
Avenue (Up the roll)	79% Polyester 21% Polyolefin	1/4" H 3/8" V	Acrylic with Teflon®	11.0 oz.	WS	70,000 (Cotton Duck)	40 hours Class 5	Wet: Class 4 Dry: Class 5	Warp - 99 lbs Fill - 72 lbs
Veer (Up the roll)	66% Polyester 34% Polyolefin	9/16" H 3/8" V	Acrylic with Teflon®	13.7 oz.	WS	100,000 (Cotton Duck)	40 Hours Class 5	Wet: Class 4 Dry: Class 4	Warp - 99 lbs Fill - 94 lbs
Whirligig (Up the roll)	100% Polyester	11/16" H 1-7/8" V	Acrylic with Teflon®	9.5 oz.	WS	85,000 (Cotton Duck)	40 Hours Class 5	Wet: Class 4.5 Dry: Class 4.5	Warp - 94 lbs Fill - 88 lbs

Cleaning Instructions: WS - For water based stains, use mild detergent foam or upholstery shampoo. For oil based stains, spot clean with a dry cleaning solvent, being sure to test area first. **CLEANING BY A PROFESSIONAL SERVICE IS RECOMMENDED.**

Flame Resistance: California Technical Bulletin 117, Section E; CS-191-53, Class 1; BIFMA X5.7-1991; UFAC, Class 1; B. S. 5852 Part 1: 1979 Ignition Source 0, smouldering cigarette. 

Fabrics by Absecon Mills, Inc. Fabric performance symbols indicate that a fabric performs to commercial furniture manufacturing standards and passes all applicable testing as specified by the Association for Contract Textiles (ACT).

9/2012 | For additional cards or memo samples:

email samples@absecon.com or call 1-877-356-4557



WORSHIP



CORPORATE



HEALTHCARE



HOSPITALITY



ACADEMIC



THEATER



Absecon Mills is focused on being a responsible corporate entity and we are continually striving to find ways to help preserve our environment, increase energy efficiency and reduce waste. Our mode of manufacturing is specifically designed to prevent damage to the environment. Our products are woven using wind power and many are constructed with polypropylene (a by-product of gasoline manufacturing, utilizing post-industrial waste) and recycled polyester, which helps keep post-consumer waste in the material stream and out of landfills. Absecon offers finishes that use ten times less fluorocarbons than conventional finishes and are SCS Indoor Advantage Gold certified. We participate in a fabric recycling program and work hard to lessen our footprint on the environment. For more information on our green initiatives, please visit www.absecon.com



WOVEN WITH
WIND POWER

Colors may vary slightly from dye lot to dye lot.



Dillon



Specifications:

content: 100% Polyurethane

backing: 70% Polyester; 30% Cotton

finish: Antimicrobial – Silver Ion Technology

Repeat: n/a

weight: 20.3 oz. / lin. yd. (630g/M)

width: 54 inches

Flammability Passes:

California Tech. Bulletin #117-2013
UFAC Class 1
NFPA 260 Class 1

MVSS 302
IMO A. 652 (16) 8.2

Performance:

abrasion: Heavy Duty – Exceeds 200,000 cycles
(Wyzenbeek – Cotton duck Abradant) (ASTM D4157)

light fastness: Class 4/100 hrs. min. (AATCC16A)

color fastness: Class 5 (ASTM D3597, AATCC 8) Wet
Class 5 (ASTM D3597, AATCC 8) Dry

physical properties: Class 5 (ASTM D3511) Brush Pill
130 lbs. warp, 120 lbs. weft (ASTM D4034) Breaking Strength
61 lbs. warp, 81 lbs. weft (ASTM D4034) Seam Slippage
50,000 cycles (CFFA 10) Flex Resistance
Pass (CFFA 6a) Cold Crack
Pass (ISO 1419) 5 weeks

environmental benefits: PVC free
Phthalate – compliant CPSC sec. 108
Lead – compliant CPSC sec. 101

made in: China

Care & Cleanability:


A clean cloth, dampened with the appropriate cleaning solution, should be applied to the affected areas as soon as possible. Blot the fabric with the treated cloth, working from the outer edge of the stained area and moving in toward the center. In order to effectively draw out the stain, renew the cleaning cloth as often as necessary to maintain an absorbent surface.

Clean all stained areas as soon as possible in accordance with the recommended stain removal procedures. Spot clean with upholstery shampoo, foam from a mild detergent, or mild dry cleaning solvent. Hot water extraction or steam cleaning is not a recommended cleaning method. Clean spots or stains from the outside to the middle of the affected area to prevent circling (see Stain Removal Matrix below).


1. Soap and water
2. Difficult stains use Fantastik® or Formula 409®
3. Disinfects with 5:1 water / bleach solution




Dillon Apple Green




Dillon Balsa



Dillon Black




Dillon Buff



Dillon Chili



Dillon Cordovan



Dillon Fiesta



Dillon Grape




Dillon Graphite




Dillon Java




Dillon Lipstick




Dillon Luggage



Dillon Ocean



Dillon Sage




Dillon Snow



Dillon Steel



Dillon Stratus



Dillon Straw



Dillon Thunder



Dillon Williamsburg

Gunslinger



Specifications:

content: 88% Polyester; 12% Polyurethane

backing: 58% Recycled Leather; 42% Polyester

finish: none

repeat: n/a

weight: 17.76 oz / lin. yd. (380g/M)

width: 54 inches

Flammability Passes:

California Tech. Bulletin #117-2013
UFAC Class 1
NFPA 260 Class 1

Performance:

abrasion: Heavy Duty – Exceeds 100,000 cycles
(Wyzenbeek – Cotton duck Abradant) (ASTM D4157)

light fastness: Class 4/40 hrs. min. (AATCC16A)

color fastness: Class 4.5 (ASTM D3597, AATCC 8) Wet
Class 4.5 (ASTM D3597, AATCC 8) Dry

physical properties: Class 4 (ASTM D3511) Brush Pill
98 lbs. warp, 69 lbs. weft (ASTM D4034) Breaking Strength
46 lbs. warp, 57 lbs. weft (ASTM D4034) Seam Slippage

made in: China

Care & Cleanability:


Cleaning code **W** - Spot clean only with water based upholstery shampoo or foam upholstery cleaner. Pretest a small, inconspicuous area before proceeding. Do not over wet. Do not use solvents to spot clean. Cushion covers should not be removed and laundered. When cleaning a spill, blot immediately to remove the spilled material. Evenly clean the entire panel in a seam to seam fashion. Do not clean just the spots or stains. When an overall soiled condition has been reached and professional care is required, contact an IICRC certified firm (www.iicrc.org).



Gunslinger Black



Gunslinger Coffee



Gunslinger Red



Gunslinger Saddle